



WCAG 2.1 Level AA Success Criteria

# COMPLIANCE AUDIT

For [cslionline.org](https://cslionline.org) | Verdict: **Compliant**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **cslionline.org** as of Mon Jul 31 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	3	0	100%

### Successful Elements

```
<div class="swiper-button-right right-5ea8c7a9 " role="button" aria-disabled="false" tabindex="0" data-acsb-hover="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"...>
```

```
<a role="button" class="medium cli-plugin-button cli-plugin-main-button cli_settings_button " style="undefined;margin: 0px 5px 0px 0px; color: rgb(51, 51, 51); background-color: rgb(222, 223, 224);background-color:#ffffff!important" tabindex="0" ...>
```

```
<a id="wt-cli-accept-all-btn" role="button" data-cli_action="accept_all" class="wt-cli-element medium cli-plugin-button wt-cli-accept-all-btn cookie_action_close_header cli_action_button " style="undefined; background-color: rgb(97, 162, 41);backgro...>
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	3	0	100%
---	---	-----	---	---	------

### Successful Elements

```
<div class="swiper-button-right right-5ea8c7a9 " role="button" aria-disabled="false" tabindex="0" data-acsb-hover="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"...>
```

```
<a role="button" class="medium cli-plugin-button cli-plugin-main-button cli_settings_button " style="undefined;margin: 0px 5px 0px 0px; color: rgb(51, 51, 51); background-color: rgb(222, 223, 224);background-color:#ffffff!important" tabindex="0" ...>
```

```
<a id="wt-cli-accept-all-btn" role="button" data-cli_action="accept_all"
class="wt-cli-element medium cli-plugin-button wt-cli-accept-all-btn cook
ie_action_close_header cli_action_button " style="undefined; background-c
olor: rgb(97, 162, 41);backgro...
```

3	<a href="#">Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.</a>	Yes	19	0	100%
---	---	-----	----	---	------

### Successful Elements

```
<a href="https://cslionline.org" > <span class=" " data-="true" " aria-hi
dden="false" style=";background-color:#ffffff!important;color:#000000!imp
ortant;"> Home </span>Contact Us</a>
```

```
<a href="https://cslionline.org/about/" class="elementor-item has-submenu
" id="sm-16908132077286484-1" aria-controls="sm-16908132077286484-2" data
-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-
expanded="false" data-acsb-...
```

```
<a href="https://cslionline.org/about/programs/signature-program/" class
="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" sty
le=";background-color:#ffffff!important;color:#000000!important;">Program
</a>
```

```
<a href="https://cslionline.org/member/events/" class="elementor-item " d
ata-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-colo
r:#ffffff!important;color:#000000!important;">Events</a>
```

```
<a href="https://cslionline.org/alumni/alumni-list/" class="elementor-ite
m " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background
-color:#ffffff!important;color:#000000!important;">Alumni</a>
```

```
<a href="https://cslionline.org/awards/" class="elementor-item has-submenu " id="sm-16908132077286484-3" aria-controls="sm-16908132077286484-4" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";b...
```

```
<a href="https://cslionline.org/support/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Support</a>
```

```
<a href="https://cslionline.org/member/member-profile/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Login</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm " href="https://cslionline.org/alumni/alumni-list/" data-acsb-scrape-url="https://cslionline.org/alumni/alumni-list/" style=";background-color:#ffffff!important;color:#000000!important;">
```

- 
- 4 [Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.](#)

Yes

4

0

100%

### Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-facebook-f elementor-repeater-item-0267196 " href="http://facebook.com/ColoradoSpringsLeadershipInstitute" target="_blank" data-acsb-tooltip="New Window" data-acsb-hover="true" s...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-0e260c9 " href="https://www.linkedin.com/company/colorado-springs-leadership-institute/" target="_blank" data-acsb-tooltip="New Window" data-acsb...
```

```
<a href="/site-map.xml" target="_blank" data-acsb-tooltip="New Window" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class=" " data-acsb-menu="a" data-acsb-menu-root-link="true" aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;">
```

```
<a style="undefined;background-color:#ffffff!important" class="npc " href="https://neonpigcreative.com/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" data-acsb-original-style="color: " acsb-original-style="color: "><span class=" "...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

### Successful Elements

```
<h1 class="elementor-heading-title elementor-size-default " role="heading" aria-level="1" style=";background-color:#ffffff!important;color:#000000!important;">Transforming Community</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	4	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
---	--	----	---	---	---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	Pass	-	100%
---	---	-----	------	---	------

### Successful Elements

```
<div class="swiper-button-right right-5ea8c7a9 " role="button" aria-disabled="false" tabindex="0" data-acsb-hover="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"...>
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role"	Yes	2	0	100%

## Successful Elements

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-underline e--animation-grow" role="navigation" data-acsb-main-menu="true" aria-label="Main Menu"> <ul id="menu-1-5da6a35c" class="...
```

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true" data-acsb-hover="true" > <a href="/privacy...
```

---

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	Yes	2	0	100%
----	--	-----	---	---	------

## Successful Elements

```
<a href="https://cslionline.org/about/" class="elementor-item has-submenu" id="sm-16908132077286484-1" aria-controls="sm-16908132077286484-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-...
```

```
<a href="https://cslionline.org/awards/" class="elementor-item has-submenu" id="sm-16908132077286484-3" aria-controls="sm-16908132077286484-4" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";b...
```

---

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	2	0	100%
----	--	-----	---	---	------

## Successful Elements

```
<a href="https://cslionline.org/about/" class="elementor-item has-submenu" id="sm-16908132077286484-1" aria-controls="sm-16908132077286484-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-...
```

```
<a href="https://cslionline.org/awards/" class="elementor-item has-submenu" id="sm-16908132077286484-3" aria-controls="sm-16908132077286484-4" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";b...
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	2	0	100%
----	--	-----	---	---	------

### Successful Elements

```
</span>
```



```
<svg style="visibility: hidden; position: absolute;;background-color:#fff
fff!important;color:#000000!important;" width="0" height="0" xmlns="htt
p://www.w3.org/2000/svg" version="1.1" aria-hidden="true" data-acsb-force
-hidden="true" data-acsb-origina...
```

```
<svg class="e-font-icon-svg e-fas-caret-down" viewBox="0 0 320 512" xmlns
="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden
="true" ><path d="M31.3 192h257.3c17.8 0 26.7 21.5 14.1 34.1L174.1 354.8c
-7.8 7.8-20.5 7.8-28.3 0L17.2 22...
```

```
<span class="swiper-notification" aria-atomic="true" aria-hidden="true" d
ata-acsb-force-hidden="true" ></span>
```

```
<i aria-hidden="true" class="far fa-chevron-left " data-acsb-force-hidden
="true" ></i>
```

```
<i class="far fa-chevron-right " aria-hidden="true" data-acsb-force-hidde
n="true" ></i>
```

```
<svg class="e-font-icon-svg e-fab-facebook-f" viewBox="0 0 320 512" xmlns
="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden
="true" ><path d="M279.14 288l14.22-92.66h-88.91v-60.13c0-25.35 12.42-50.
06 52.24-50.06h40.42V6.26S260.43...
```

```
<svg class="e-font-icon-svg e-fab-linkedin" viewBox="0 0 448 512" xmlns
="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden
="true" ><path d="M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 4
80 31.9 480H416c17.6 0 32-14.5 32-...
```

```
<svg class="e-font-icon-svg e-fab-instagram" viewBox="0 0 448 512" xmlns
="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden
="true" ><path d="M224.1 141c-63.6 0-114.9 51.3-114.9 114.9s51.3 114.9 11
4.9 114.9S339 319.5 339 255.9 287...
```

```
<span class="npc icon-npc_mo" aria-hidden="true" data-acsb-force-hidden
="true" ></span>
```

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-
24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	No	0	0	-
25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	5	0	100%

## Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16908132077286484-2" role="region" aria-hidden="true" aria-labelledby="sm-16908132077286484-1" data-acsb-menu="ul" data-acsb-dropdown="ani7ubiesmkf" aria-label="Submenu" style=";b...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16908132077286484-4" role="region" aria-hidden="true" aria-labelledby="sm-16908132077286484-3" data-acsb-menu="ul" data-acsb-dropdown="asawtbflp7g" aria-label="Submenu" style=";b...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16908132077471138-2" role="group" aria-hidden="true" aria-labelledby="sm-16908132077471138-1" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16908132077471138-4" role="group" aria-hidden="true" aria-labelledby="sm-16908132077471138-3" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" > <li ...
```

```
<div class="cli-modal" data-nosnippet="true" id="cliSettingsPopup" role="dialog" aria-labelledby="cliSettingsPopup" aria-hidden="true" > <div class="cli-modal-dialog" role="document" > <div class="cli-modal-content cli-bar-popup " style=";backgro...
```

---

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
----	---	----	---	---	---

---

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen readers.	Yes	Pass	-	100%
----	---	-----	------	---	------

## Successful Elements

```
<title aria-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" >Colorado Springs Leadership Institute - Colorado Springs Leadership Institute - CSLI</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

## Successful Elements

```
<html lang="en-US" style="--acsb-keynav:3px;" id="acsb-light-contrast" class="acsb-light-contrast"><head><script type="text/javascript" async="" src="https://moderate.cleantalk.org/1.1.14/ct-bot-detector.min.js"></script><style data-acsb-dynamic-css=...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	No	0	0	-
----	--	----	---	---	---

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

## Successful Elements

```
<main id="primary" class="site-main" role="presentation"> <article id="post-2" class="post-2 page type-page status-publish hentry"> <div class="entry-content"> <div data-elementor-type="wp-page" data-elementor-id="2" class="elementor elemen...
```

```
<footer class="elementor-section elementor-top-section elementor-element elementor-element-79e49a3f elementor-section-height-min-height elementor-section-content-middle elementor-section-full width elementor-section-str
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	24	0	100%

### Successful Elements

```
<a href="/contact/" style=";background-color:#ffffff!important;color:#000000!important;">Contact Us</a>
```

```
<a href="https://cslionline.org/about/" class="elementor-item has-submenu " id="sm-16908132077286484-1" aria-controls="sm-16908132077286484-2" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-...
```

```
<a href="https://cslionline.org/about/programs/signature-program/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Program</a>
```

```
<a href="https://cslionline.org/member/events/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Events</a>
```

```
<a href="https://cslionline.org/alumni/alumni-list/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Alumni</a>
```

```
<a href="https://cslionline.org/awards/" class="elementor-item has-submenu " id="sm-16908132077286484-3" aria-controls="sm-16908132077286484-4" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";b...
```

```
<a href="https://cslionline.org/support/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Support</a>
```

```
<a href="https://cslionline.org/member/member-profile/" class="elementor-item " data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Login</a>
```

```
<h1 class="elementor-heading-title elementor-size-default " role="heading" aria-level="1" style=";background-color:#ffffff!important;color:#000000!important;">Transforming Community</h1>
```

```
<h1 class="elementor-heading-title elementor-size-large " role="heading" aria-level="2" style=";background-color:#ffffff!important;color:#000000!important;">Developing Leaders</h1>
```

---

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	Pass	-	100%

---

### Successful Elements

```
<div class="swiper-button-right right-5ea8c7a9 " role="button" aria-disabled="false" tabindex="0" data-acsb-hover="true"> <span class=" " data-="true" " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;"...
```

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.

No 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

Yes

9

0

100%

### Successful Elements

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active swiper-pagination-bullet-active-main " role="button" aria-label="Go to slide 1" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active-next " role="button" aria-label="Go to slide 2" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet swiper-pagination-bullet-active-next-next " role="button" aria-label="Go to slide 3" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to slide 4" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to slide 5" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to slide 6" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to slide 7" style="left: 16px;" data-acsb-original-style="left: 16px;" ></span>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to s  
lide 8" style="left: 16px;" data-acsb-original-style="left: 16px;" ></spa  
n>
```

```
<span class="swiper-pagination-bullet " role="button" aria-label="Go to s  
lide 9" style="left: 16px;" data-acsb-original-style="left: 16px;" ></spa  
n>
```

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-
----	--	----	---	---	---

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
----	--	----	---	---	---

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
----	--	----	---	---	---

46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
----	---	----	---	---	---

47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
----	---	----	---	---	---



48	Making use of an accessibility interface	Yes	Pass	-	100%
<p>helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.</p>					

---

49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-
----	---	----	---	---	---